

EPDM joint tape

0175 self-adhesive joint tape

EPDM Self-Adhesive Joint Tape is the go-to choice in roofing and facade construction due to its unique properties.

- Self-Adhesive: Simplifies installation, efficient for professionals and DIY enthusiasts.
- Weather-Resistant: Provides reliable, long-lasting sealing under harsh conditions.
- Durable: Crafted from high-quality synthetic rubber, resists aging and chemicals.
- Customizable: Tailored to project requirements for optimal sealing.

In the construction sector, this tape offers convenience, durability, and adaptability – ideal for achieving high-quality results in roofing and facade constructions.




Ipex EPDM

Equipped with an acrylic backing, this serves as a contact interrupter for various applications, including framework, facade cladding, cavity seals, and more. The acrylic backing ensures effective insulation and interrupts direct contact, making it ideal for a wide range of structural and sealing applications.

Self-adhesive EPDM

With acrylic backing.

0175





A (MM)	B (MM)	TOTAL LENGTH PER ROLL (M)
0.8	30	25
0.8	40	25
0.8	60	25
0.8	70	25
0.8	100	25
0.8	110	25
0.8	150	25

| APPLICATION |



| ALTERNATIVE |

0225 EPDM joint tape



| ALTERNATIVE |

EPDM joint profiles




Ipex EPDM

Equipped with an acrylic backing, this serves as a contact interrupter for various applications, including framework, facade cladding, cavity seals, and more. The acrylic backing ensures effective insulation and interrupts direct contact, making it ideal for a wide range of structural and sealing applications.

Self-adhesive EPDM

With acrylic backing, with a very high adhesive power,

0175^{HB}





A (MM)	B (MM)	TOTAL LENGTH PER ROLL (M)
0.5	50	25
0.5	70	25
0.5	100	25
0.5	150	25
0.5	200	25
0.5	250	25
0.5	300	25
0.5	400	25
0.5	500	25
0.5	600	25
0.5	1000	25

| APPLICATION |



| ALTERNATIVE | 0225 EPDM joint tape



| ALTERNATIVE | EPDM joint profiles

